




3Dfindit

powered by  **CADENAS**



AirTAC

low installation linear guide


CONTENT

Augmented Reality (AR) - Digital meets real	2
3D preview of low installation linear guide	3
Integrate AirTAC catalog inside your CAD System	4
2D derivations and Bill-Of-Material (BOM)	5
Technical drawings	6
Technical data	7
Get a free E-Learning training for AirTAC catalog	8



3Dfindit

powered by  CADENAS



AirTAC

low installation linear guide


AR

Augmented Reality, often shortened to AR, is a technology that blends digital information into the real world. For more information, please click [here](#) or directly try yourself by scanning the QR code with your phone.




Please scan the QR code above and open on AR-enabled device.

There is a possibility that the configuration will fail. If that happens, please try a different product.



3Dfindit


powered by  CADENAS



AirTAC

low installation linear guide

3D view



HOW TO ACTIVATE 3D?

To activate the interactive 3D view in Acrobat Reader, you need to select, at the top of the page, **Options** and then **Trust this document**




Zoom
Moves you toward or away from objects in the scene when you drag vertically. You can also zoom with the hand tool by holding down Shift as you drag.



Pan
Moves the model vertically and horizontally only. You can also pan with the hand tool: Ctrl-drag.




Rotate
Turns 3D objects around relative to the screen. How the objects move depends on the starting view, where you start dragging and the direction in which you drag.



3Dfindit

powered by CADENAS




AirTAC


low installation linear guide

CAD plugins

With our CAD integrations, you can use 3Dfindit directly in your CAD system and make your work easier with additional comfort functions, such as replacing a part and many more.




To the plugins



3Dfindit

powered by  CADENAS




AirTAC

low installation linear guide


2D derivation

ISO view




Bill-Of-Materials

N°	Description	Amount
1.1	LSD15RLX280-S20-N-E	1



3Dfindit

powered by  **CADENAS**



AirTAC


low installation linear guide

Technical drawings



3Dfindit

powered by  CADENAS



AirTAC

low installation linear guide


Technical data

ORDER (Ordering code)	LSD15RLX280-S20-N-E
WOR (Wide of rail)	15
L (Length of rail)	280.0
S (Left margin)	20.0
ACCE (accuracy)	N: Normal
PL (Pairing level)	E Level
RS (Rail style)	Up locked with M4 bolt
RLT (Rail lock type / mm)	Up locked
E (Right margin)	20.0
P ()	60
G ()	15
H2 ()	12.5
Q ()	8.0
U ()	4.8
H3 ()	5.3
T ()	M5X0.8
T1 ()	7.0



3Dfindit

powered by  CADENAS



AirTAC

low installation linear guide

E-Learning

Discover free training for 3Dfindit, the search engine for engineers, designers, and architects. Our 30 to 50-minute interactive courses provide you with comprehensive knowledge about the platform. Upon successful completion, you will receive a certificate. Start your first course now and master 3Dfindit!

Become an Expert of Digital Engineering



3Dfindit

Boost your career and get ready for Industry 4.0!

[Learn more](#)

[Start course](#)

www.CADENAS.de
www.3Dfindit.com

◀ VISIT US AT 3Dfindit.com NOW!